


BASEMENT FLOOR PLAN
SCALE 1/4" = 1'-0"

NOTE :
UNLESS OTHERWISE MARKED ALL FLOORS TO BE CORK .
BEAM CEILING and PANELS AS INDICATED TO BE PLASTER
CONTRACTOR TO BUILD APPROXIMATELY 45 WALL CHASES
FOR LOCATION AND SIZES REFER TO HEATING PLANS

FIRST FLOOR PLAN

SCALE $\frac{1}{4}$ INCH = 1 FOOT



MATERIAL SCHEDULE


	CONCRETE
	GRANITE
	BRICK
	STONE
	GYPSUM BLOCK
	HOLLOW TILE

DOOR SCHEDULE
FOR THIS FLOOR ONLY

(A)	3'-0" x 7'-0" x 1 3/4"	
(B)	2'-8" x 7'-0" x 1 3/4"	
(C)	2'-6" x 7'-0" x 1 3/4"	
(D)	2'-4" x 7'-0" x 1 3/4"	
(E)	2'-3'-0" x 8'-0" x 2"	GLAZED
(F)	2'-3'-0" x 8'-0" x 1 3/4"	"
(G)	2'-3'-6" x 7'-6" x 1 3/4"	"
(H)	2'-3'-0" x 7'-6" x 1 3/4"	"
(I)	2'-3'-0" x 7'-0" x 1 3/4"	"
(J)	2'-0" x 4'-6" x 1 3/8"	
(K)	2'-2'-6" x 7'-0" x 1 3/4"	WITH LEATHER COVERED DOOR TO FIT OPENING GL.

E. C. & G. O. GARDNER
ARCHITECTS
F. W. S. KING, SUPERINTENDENT
33 LYMAN STREET
SPRINGFIELD, MASSACHUSETTS

NAMED DISTRICT COURT OF
LOCATION SPRINGFIELD, MASS.
DATE SEPT 1929
COMMISSION NO. 877
DRAWING NO. 2
DRAFTSMAN D.E.S.
CHECKED BY do.



FIRST FLOOR PLAN

SCALE 1/4" = 1 FOOT

MATERIAL SCHEDULE


[Symbol]	CONCRETE
[Symbol]	GRANITE
[Symbol]	BRICK
[Symbol]	STONE
[Symbol]	GYPSUM BLOCK
[Symbol]	HOLLOW TILE

DOOR SCHEDULE FOR THIS FLOOR ONLY

- ① 3'-0" x 7'-0" x 1 1/2"
- ② 2'-8" x 7'-0" x 1 1/2"
- ③ 2'-6" x 7'-0" x 1 1/2"
- ④ 2'-4" x 7'-0" x 1 1/2"
- ⑤ 2'-3'-0" x 8'-0" x 1 1/2" GLAZED
- ⑥ 2'-3'-0" x 7'-0" x 1 1/2"
- ⑦ 2'-3'-0" x 7'-6" x 1 1/2"
- ⑧ 2'-3'-0" x 7'-6" x 1 1/2"
- ⑨ 2'-0" x 4'-6" x 1 1/2"
- ⑩ 2'-2'-6" x 7'-0" x 1 1/2" WITH LEATHER COVERED DOOR TO FIT OPENING Q.

E. C. & W. G. GORDON
ARCHITECTS
F. W. S. KING, SUPERINTENDENT
33 LYMAN STREET
SPRINGFIELD, MASSACHUSETTS

DAVE DISTRICT COURT OF
LOCATION SPRINGFIELD MASS
DATE SEPT 1929
COMMISSION NO. 877
DRAWING NO. 2
PREPARED BY D.E.S.
TRACED BY do



DOOR SCHEDULE FOR THIS FLOOR ONLY

- A 3'-0" x 7'-0" x 1'-3"
 B 2'-8" x 7'-0" x 1'-3"
 C 2'-0" x 7'-0" x 1'-3"
 D 2'-0" x 7'-0" x 1'-3"
 E 2'-0" x 7'-0" x 1'-3"
 F 2'-0" x 7'-0" x 1'-3"
 G 2'-0" x 7'-0" x 1'-3"
 H 2'-0" x 7'-0" x 1'-3"
 I 2'-0" x 7'-0" x 1'-3"
 J 2'-0" x 7'-0" x 1'-3"
 K 2'-0" x 7'-0" x 1'-3"
 L 2'-0" x 7'-0" x 1'-3"
 M 2'-0" x 7'-0" x 1'-3"
 N 2'-0" x 7'-0" x 1'-3"
 O 2'-0" x 7'-0" x 1'-3"
 P 2'-0" x 7'-0" x 1'-3"
 Q 2'-0" x 7'-0" x 1'-3"
 R 2'-0" x 7'-0" x 1'-3"
 S 2'-0" x 7'-0" x 1'-3"
 T 2'-0" x 7'-0" x 1'-3"
 U 2'-0" x 7'-0" x 1'-3"
 V 2'-0" x 7'-0" x 1'-3"
 W 2'-0" x 7'-0" x 1'-3"
 X 2'-0" x 7'-0" x 1'-3"
 Y 2'-0" x 7'-0" x 1'-3"
 Z 2'-0" x 7'-0" x 1'-3"


MATERIAL SCHEDULE

CONCRETE	CONCRETE
BRICK	BRICK
STONE	STONE
GYPSUM BLOCK	GYPSUM BLOCK
HOLLOW TILE	HOLLOW TILE


SECOND FLOOR PLAN

SCALE 1/4" = 1 FOOT


NOTE: UNLESS OTHERWISE MARKED ALL FLOORS TO BE CORK.



• ROOF PLAN •
 • SCALE $\frac{1}{4}$ INCH = 1 FOOT •




E. C. & G. C. GARDNER	
ARCHITECTS	
F. W. S. KING, SUPERINTENDENT	
33 LYMAN STREET	
SPRINGFIELD, MASSACHUSETTS	
NAME <u>DISTRICT COURT</u>	
LOCATION <u>SPRINGFIELD, MASS.</u>	
DATE <u>SEPTEMBER 1929</u>	
COMMISSION NO. <u>877</u>	
DRAWING NO. <u>4</u>	
DRAFTSMAN <u>W.H.A.</u>	
TRACED BY <u>do</u>	




ROOF PLAN
 SCALE $\frac{1}{4}$ INCH = 1 FOOT

E. C. & G. G. OFFICE	
ARCHITECTS	
P. M. & R. L. BENTLEY	
31 LYNN STREET	
SPRINGFIELD, MASSACHUSETTS	
NAME <u>DISTRICT COURT</u>	
LOCATION <u>SPRINGFIELD, MASS.</u>	
DATE <u>SEPTEMBER 1920</u>	
COMMISSION NO. <u>377</u>	
DRAWING NO. <u>2</u>	
DRAWN BY <u>M. H. A.</u>	
CHECKED BY <u>J. D.</u>	




PYNCHON ST. ELEVATION




BROADWAY ELEVATION

SCALE 1/4" = 1' FOOT


E. C. L. & SONS, INC.
ARCHITECTS
F. W. & R. H. SUPERINTENDENT
SPRINGFIELD, MASS.
DATE: JANUARY 1923
DRAWING NO. 177
DRAFTSMAN: D. E. J.
CHECKED BY: do.




WEST ELEVATION
SCALE 1/4 INCH = 1 FOOT



E. K. & G. C. WARDNER ARCHITECTS	
F. W. B. KING SUPERINTENDENT 33 LYMAN STREET SPRINGFIELD, MASS.	
NAME <u>DISTRICT COURT OF</u>	
LOCATION <u>SPRINGFIELD, MASS.</u>	
DATE <u>SEPT. 1929</u>	
COMMISSION NO. <u>877</u>	
DRAWING NO. <u>6</u>	
CRAFTSMAN <u>D.E.J.</u>	
TRAFFIC <u>1929</u>	




SOUTH ELEVATION



WEST ELEVATION

SCALE 1/4" = 1 FOOT


E. B. & G. GARDNER
ARCHITECTS
P. M. & N. G. SUPPLEMENT
TO L. & S. STREET
BOSTON, MASS.
DISTRICT COURT OF
SPRINGFIELD, MASS.
DATE Sept. 1883
COMMISSIONER 377
DRAWN BY G.
CHECKED BY D. L. L.




LONGITUDINAL SECTION · THRO · B · B ·
SCALE $\frac{1}{4}$ INCH = 1 FT



PLAN OF LOT.
SCALE $\frac{1}{8}$ INCH = 1 FOOT
FIGURES IN CIRCLE INDICATE FINISHED GRADE






COLUMN SIZE AND POUNDAGE

1	8" C.B. 24"	11	6" H - 20"	21	8" C.B. 48"	31	6" H - 20"	41	8" C.B. 24"	51	6" H - 20"	61	8" C.B. 24"
2	"	12	"	22	"	32	"	42	"	52	"	62	"
3	"	13	8" C.B. 36"	23	"	33	8" C.B. 31"	43	"	53	8" C.B. 31"	63	"
4	"	14	6" H - 20"	24	8" C.B. 36"	34	"	44	8" C.B. 31"	54	"	64	"
5	"	15	"	25	"	35	6" H - 20"	45	"	55	8" C.B. 24"	65	"
6	"	16	8" C.B. 36"	26	6" H - 20"	36	"	46	8" C.B. 36"	56	6" H - 20"	66	"
7	"	17	"	27	"	37	8" C.B. 48"	47	6" H - 20"	57	"	67	"
8	"	18	6" H - 20"	28	8" C.B. 27"	38	"	48	8" C.B. 24"	58	"	68	"
9	8" C.B. 31"	19	"	29	8" C.B. 36"	39	"	49	8" C.B. 31"	59	"	69	"
10	6" H - 20"	20	8" C.B. 42"	30	6" H - 20"	40	8" C.B. 20"	50	6" H - 20"	60	"	70	"

FIRST FLOOR FRAMING PLAN


SCALE 1/4" = 1 FT.

E.C.G. DRAFTSMAN
F.W.S. ENGINEER
31 LYMAN STREET
SPRINGFIELD, MASSACHUSETTS
NAME: J. J. COLEMAN
LOCATION: 100 WASHINGTON ST.
DATE: 12/27/22
COMMISSION NO.: 877
DRAFTING NO.: 9
TRACED BY: J.L.C.





• SECOND • FLOOR • FRAMING • PLAN •

• SCALE • $\frac{1}{4}$ • INCH • = • 1 • FOOT •




ARCHITECTS	ENGINEERS
F. W. & N. H. SUPERINTENDENT	1144 STREET
SPRINGFIELD, MASS.	
NAME <u>DISTRICT COURT OF</u>	
LOCATION <u>SPRINGFIELD, MASS.</u>	
DATE <u>SEPTEMBER 1929</u>	
COMMISSION NO. <u>872</u>	
DRAWING NO. <u>10</u>	
DRAFTSMAN <u>W. H. A.</u>	
CHECKED BY <u>do.</u>	



• SECOND FLOOR FRAMING PLAN •


SCALE $\frac{1}{4}$ INCH = 1 FOOT

DIRECTOR COURT A
 JAMES H. HARRIS
 JUDGE
 10
 1000 1000
 1000 1000




• CEILING • FRAMING • PLAN •
SCALE $\frac{1}{4}$ INCH = 1 FT


SCALE $\frac{1}{4}$ INCH = 1 FT



• ROOF • FRAMING • PLAN •
• SCALE • $\frac{1}{4}$ • INCH • = • 1 FOOT •





E. C. & G. GARDNER ARCHITECTS P. W. & K. M. SUPERINTENDENT 24 LYMAN STREET SPRINGFIELD, MASSACHUSETTS	
NAME	DISTRICT COURT OF
LOCATION	SPRINGFIELD, MASS
DATE	SEPTEMBER 1929
COMMISSION NO.	877
DRAWING NO.	12
DRAFTSMAN	W. N. D.
TRACED BY	do




ROOF FRAMING PLAN
SCALE 1/4" INCH = 1 FOOT

DATE	10/10/1918
BY	W. H. D.
CHECKED BY	W. H. D.
APPROVED BY	W. H. D.
REVISIONS	
1	10/10/1918
2	10/10/1918
3	10/10/1918
4	10/10/1918
5	10/10/1918
6	10/10/1918
7	10/10/1918
8	10/10/1918
9	10/10/1918
10	10/10/1918
11	10/10/1918
12	10/10/1918
13	10/10/1918
14	10/10/1918
15	10/10/1918
16	10/10/1918
17	10/10/1918
18	10/10/1918
19	10/10/1918
20	10/10/1918
21	10/10/1918
22	10/10/1918
23	10/10/1918
24	10/10/1918
25	10/10/1918
26	10/10/1918
27	10/10/1918
28	10/10/1918
29	10/10/1918
30	10/10/1918
31	10/10/1918
32	10/10/1918
33	10/10/1918
34	10/10/1918
35	10/10/1918
36	10/10/1918
37	10/10/1918
38	10/10/1918
39	10/10/1918
40	10/10/1918
41	10/10/1918
42	10/10/1918
43	10/10/1918
44	10/10/1918
45	10/10/1918
46	10/10/1918
47	10/10/1918
48	10/10/1918
49	10/10/1918
50	10/10/1918
51	10/10/1918
52	10/10/1918
53	10/10/1918
54	10/10/1918
55	10/10/1918
56	10/10/1918
57	10/10/1918
58	10/10/1918
59	10/10/1918
60	10/10/1918
61	10/10/1918
62	10/10/1918
63	10/10/1918
64	10/10/1918
65	10/10/1918
66	10/10/1918
67	10/10/1918
68	10/10/1918
69	10/10/1918
70	10/10/1918
71	10/10/1918
72	10/10/1918
73	10/10/1918
74	10/10/1918
75	10/10/1918
76	10/10/1918
77	10/10/1918
78	10/10/1918
79	10/10/1918
80	10/10/1918
81	10/10/1918
82	10/10/1918
83	10/10/1918
84	10/10/1918
85	10/10/1918
86	10/10/1918
87	10/10/1918
88	10/10/1918
89	10/10/1918
90	10/10/1918
91	10/10/1918
92	10/10/1918
93	10/10/1918
94	10/10/1918
95	10/10/1918
96	10/10/1918
97	10/10/1918
98	10/10/1918
99	10/10/1918
100	10/10/1918






FIRST FLOOR PLAN
SCALE 1/4" = 1'-0"




NAME- DISTRICT COURT OF
LOCATION- SPRINGFIELD MASS
DATE- SEPTEMBER 1929
COMMISSION NO.
DRAWING NO. H-2
DRAFTSMAN
TRACED BY


RICHARD D. KIMBALL CO.
ENGINEERS
6 BEACON ST. BOSTON, MASS




FIRST FLOOR PLAN
SCALE 1/4"=1'-0"

E.C. & G.C. GARDNER ARCHITECTS F.W. S. KING SUPERINTENDENT 33 CORNHILL STREET SPRINGFIELD, MASSACHUSETTS	
MAINE DISTRICT COURT OF LOCATION: SPRINGFIELD, MASS. DATE: SEPTEMBER 1929 COMMISSION NO. _____	
HEATING AND VENTILATING	
RICHARD D. KILBALL CO. ENGINEERS 65 BEACON ST. BOSTON, MASS.	
DRAWING NO. H-2 DRAFTSMAN TRACED BY	







ROOF PLAN
SCALE 1/4" = 1'-0"




RICHARD D. KIMBALL CO.
ENGINEERS
6 BEACON ST. BOSTON, MASS.

NAME: DISTRICT COURT OF
LOCATION: SPRINGFIELD, MASS.
DATE: SEPTEMBER 1929
COMMISSION NO:
DRAWING No H-4
DRAFTSMAN
TRACED BY








NOTE:
UNLESS OTHERWISE MARKED ALL FLOORS TO BE CORK.
BEAM CEILING AND PANELS AS INDICATED TO BE PLASTER.
CONTRACTOR TO BUILD APPROXIMATELY 45 WALL CHASES
FOR LOCATION AND SIZES REFER TO HEATING PLANS

FIRST FLOOR PLAN
SCALE $\frac{1}{4}$ INCH = 1 FOOT

4'-8" x 3'-6" x 2'-0" x 3'-6" x 3'-8" x 3'-6" x 4'-4" x 3'-6" x 5'-1"
 8'-2" x 5'-6" x 7'-2" x 7'-10" x 6'-10"




MATERIAL SCHEDULE

	CONCRETE
	GRANITE
	BRICK
	STONE
	GYPSUM BLOCK
	HOLLOW TILE

DOOR SCHEDULE FOR THIS FLOOR ONLY

- (A) 3'-0" x 7'-0" x 1'-3"
- (B) 2'-8" x 7'-0" x 1'-3"
- (C) 2'-6" x 7'-0" x 1'-3"
- (D) 2'-4" x 7'-0" x 1'-3"
- (E) 2'-3'-0" x 8'-0" x 2" GLAZED
- (F) 2'-3'-0" x 8'-0" x 1'-3"
- (G) 2'-3'-6" x 7'-6" x 1'-3"
- (H) 2'-3'-0" x 7'-6" x 1'-3"
- (I) 2'-3'-0" x 7'-0" x 1'-3"
- (J) 2'-0" x 4'-6" x 1'-3"
- (K) 2'-2'-6" x 7'-0" x 1'-3" WITH LEATHER COVERED DOOR TO FIT OPENING GL.

DISTRICT COURT OF
 ARCHITECTS
 F. W. S. KING, SUPERINTENDENT
 33 LYMAN STREET
 SPRINGFIELD, MASSACHUSETTS
 NAME DISTRICT COURT OF
 LOCATION SPRINGFIELD, MASS.
 DATE SEPT 1929
 COMMISSION NO. 877
 DRAWING NO. 2
 DRAWN BY D. E. S.
 CHECKED BY do.



NOTE
UNLESS OTHERWISE MARKED ALL FLOORS TO BE CORK.
BEAM CEILING AND PANELS AS INDICATED TO BE PLASTER.
CONTRACTOR TO BUILD APPROXIMATELY 45 WALL CHASES
FOR LOCATION AND SIZES REFER TO HEATING PLANS

FIRST FLOOR PLAN

SCALE 1/4" INCH = 1 FOOT


MATERIAL SCHEDULE

CONCRETE
GRANITE
BRICK
STONE
GYPSUM BLOCK
HOLLOW TILE







DOOR SCHEDULE FOR THIS FLOOR ONLY

- 1 3'-0" x 7'-0" x 1 1/2"
- 2 2'-6" x 7'-0" x 1 1/2"
- 3 2'-6" x 7'-0" x 1 1/2"
- 4 2'-6" x 7'-0" x 1 1/2"
- 5 2'-6" x 7'-0" x 1 1/2"
- 6 2'-6" x 7'-0" x 1 1/2"
- 7 2'-6" x 7'-0" x 1 1/2"
- 8 2'-6" x 7'-0" x 1 1/2"
- 9 2'-6" x 7'-0" x 1 1/2"
- 10 2'-6" x 7'-0" x 1 1/2"
- 11 2'-6" x 7'-0" x 1 1/2"
- 12 2'-6" x 7'-0" x 1 1/2"
- 13 2'-6" x 7'-0" x 1 1/2"
- 14 2'-6" x 7'-0" x 1 1/2"
- 15 2'-6" x 7'-0" x 1 1/2"
- 16 2'-6" x 7'-0" x 1 1/2"
- 17 2'-6" x 7'-0" x 1 1/2"
- 18 2'-6" x 7'-0" x 1 1/2"
- 19 2'-6" x 7'-0" x 1 1/2"
- 20 2'-6" x 7'-0" x 1 1/2"
- 21 2'-6" x 7'-0" x 1 1/2"
- 22 2'-6" x 7'-0" x 1 1/2"
- 23 2'-6" x 7'-0" x 1 1/2"
- 24 2'-6" x 7'-0" x 1 1/2"
- 25 2'-6" x 7'-0" x 1 1/2"
- 26 2'-6" x 7'-0" x 1 1/2"
- 27 2'-6" x 7'-0" x 1 1/2"
- 28 2'-6" x 7'-0" x 1 1/2"
- 29 2'-6" x 7'-0" x 1 1/2"
- 30 2'-6" x 7'-0" x 1 1/2"
- 31 2'-6" x 7'-0" x 1 1/2"
- 32 2'-6" x 7'-0" x 1 1/2"
- 33 2'-6" x 7'-0" x 1 1/2"
- 34 2'-6" x 7'-0" x 1 1/2"
- 35 2'-6" x 7'-0" x 1 1/2"
- 36 2'-6" x 7'-0" x 1 1/2"
- 37 2'-6" x 7'-0" x 1 1/2"
- 38 2'-6" x 7'-0" x 1 1/2"
- 39 2'-6" x 7'-0" x 1 1/2"
- 40 2'-6" x 7'-0" x 1 1/2"
- 41 2'-6" x 7'-0" x 1 1/2"
- 42 2'-6" x 7'-0" x 1 1/2"
- 43 2'-6" x 7'-0" x 1 1/2"
- 44 2'-6" x 7'-0" x 1 1/2"
- 45 2'-6" x 7'-0" x 1 1/2"
- 46 2'-6" x 7'-0" x 1 1/2"
- 47 2'-6" x 7'-0" x 1 1/2"
- 48 2'-6" x 7'-0" x 1 1/2"
- 49 2'-6" x 7'-0" x 1 1/2"
- 50 2'-6" x 7'-0" x 1 1/2"
- 51 2'-6" x 7'-0" x 1 1/2"
- 52 2'-6" x 7'-0" x 1 1/2"
- 53 2'-6" x 7'-0" x 1 1/2"
- 54 2'-6" x 7'-0" x 1 1/2"
- 55 2'-6" x 7'-0" x 1 1/2"
- 56 2'-6" x 7'-0" x 1 1/2"
- 57 2'-6" x 7'-0" x 1 1/2"
- 58 2'-6" x 7'-0" x 1 1/2"
- 59 2'-6" x 7'-0" x 1 1/2"
- 60 2'-6" x 7'-0" x 1 1/2"
- 61 2'-6" x 7'-0" x 1 1/2"
- 62 2'-6" x 7'-0" x 1 1/2"
- 63 2'-6" x 7'-0" x 1 1/2"
- 64 2'-6" x 7'-0" x 1 1/2"
- 65 2'-6" x 7'-0" x 1 1/2"
- 66 2'-6" x 7'-0" x 1 1/2"
- 67 2'-6" x 7'-0" x 1 1/2"
- 68 2'-6" x 7'-0" x 1 1/2"
- 69 2'-6" x 7'-0" x 1 1/2"
- 70 2'-6" x 7'-0" x 1 1/2"
- 71 2'-6" x 7'-0" x 1 1/2"
- 72 2'-6" x 7'-0" x 1 1/2"
- 73 2'-6" x 7'-0" x 1 1/2"
- 74 2'-6" x 7'-0" x 1 1/2"
- 75 2'-6" x 7'-0" x 1 1/2"
- 76 2'-6" x 7'-0" x 1 1/2"
- 77 2'-6" x 7'-0" x 1 1/2"
- 78 2'-6" x 7'-0" x 1 1/2"
- 79 2'-6" x 7'-0" x 1 1/2"
- 80 2'-6" x 7'-0" x 1 1/2"
- 81 2'-6" x 7'-0" x 1 1/2"
- 82 2'-6" x 7'-0" x 1 1/2"
- 83 2'-6" x 7'-0" x 1 1/2"
- 84 2'-6" x 7'-0" x 1 1/2"
- 85 2'-6" x 7'-0" x 1 1/2"
- 86 2'-6" x 7'-0" x 1 1/2"
- 87 2'-6" x 7'-0" x 1 1/2"
- 88 2'-6" x 7'-0" x 1 1/2"
- 89 2'-6" x 7'-0" x 1 1/2"
- 90 2'-6" x 7'-0" x 1 1/2"
- 91 2'-6" x 7'-0" x 1 1/2"
- 92 2'-6" x 7'-0" x 1 1/2"
- 93 2'-6" x 7'-0" x 1 1/2"
- 94 2'-6" x 7'-0" x 1 1/2"
- 95 2'-6" x 7'-0" x 1 1/2"
- 96 2'-6" x 7'-0" x 1 1/2"
- 97 2'-6" x 7'-0" x 1 1/2"
- 98 2'-6" x 7'-0" x 1 1/2"
- 99 2'-6" x 7'-0" x 1 1/2"
- 100 2'-6" x 7'-0" x 1 1/2"

APPROVED BY
DATE
DISTRICT COURT OF
SPRINGFIELD, MASS.
DATE
877
D.E.S.
do

[illegible]


MATERIAL SCHEDULE

	CONCRETE
	GRANITE
	BRICK
	STONE
	GYPSUM BLOCK
	HOLLOW TILE


NOTE: UNLESS OTHERWISE MARKED ALL FLOORS TO BE CORK

SECOND FLOOR PLAN.

SCALE $\frac{1}{4}$ INCH. = 1 FOOT.




REFER TO BASEMENT PLAN FOR SIZE OF FOOTINGS




REFER TO BASEMENT PLAN FOR SIZE OF FOOTINGS

TRANSVERSE SECTION




LONGITUDINAL SECTION THRO' B.B.
SCALE $\frac{1}{4}$ INCH = 1 FT.




HRO. A A. SCALE, $\frac{1}{4}$ INCH = 1 FOOT.

E. C. S. & S. P. N. O. R. S.
 ARCHITECTS
 J. W. S. KING, SUPERINTENDENT
 33 LYMAN STREET
 SPRINGFIELD, MASS., U.S.A.
 NAME DISTRICT COURT OF
 LOCATION SPRINGFIELD MASS
 DATE SEPT. 1929
 COMMISSION NO. 877
 DRAWING NO. 7
 DRAFTSMAN D. E. S.
 TRACED BY do.



REFER TO BASEMENT PLAN FOR SIZE OF FOOTINGS


LONGITUDINAL SECTION THRO B-B
SCALE 1/4" = 1 FT




REFER TO BASEMENT PLAN FOR SIZE OF FOOTINGS


TRANSVERSE SECTION THRO A-A SCALE 1/4" = 1 FT

APPROVED FOR THE DISTRICT COURT OF THE DISTRICT OF COLUMBIA
JULY 11, 1922
DISTRICT COURT OF THE DISTRICT OF COLUMBIA
JULY 11, 1922
DISTRICT COURT OF THE DISTRICT OF COLUMBIA
JULY 11, 1922




BASEMENT PLAN
SCALE: 1/4" = 1 FT.






E. C. & G. C. GARDNER
ARCHITECTS
F. W. B. KING, SUPERINTENDENT
32 LYMAN STREET
SPRINGFIELD, MASSACHUSETTS

NAME DISTRICT COURT OF
LOCATION SPRINGFIELD, MASS.
DATE SEPT. 1924
COMMISSION NO. 877
DRAWING NO. 2
DRAFTSMAN J. A. R.



FIRST FLOOR PLAN


E. C. & G. SANDER	
ARCHITECTS	
P. O. BOX 1000	
SPRINGFIELD, MASSACHUSETTS	
KANSAS DISTRICT COURT OF	
LOCATION: SPRINGFIELD, MASS.	
DATE	1924
COMMISSIONED BY	1924
DRAWING NO.	8
DESIGNED BY	J. A. R.



- Meters
 TEL WALL OUTLET
 TEL FLOOR OUTLET
 Clock
 CEILING OUTLET
 Floor PUGGING INLET
 DUPLEX WALL RECEPT
 PUSH BUTTON


E. C. & C. GARDNER
 ARCHITECTS
 7 W. 42ND STREET
 NEW YORK 36, N.Y.
 DRAWING NO. 100
 DATE 10/1/50
 CHECKED BY
 DESIGNED BY

SECOND FLOOR PLAN
 SCALE 1/4" = 1'-0"



DESIGN for ELECTRIC FIXTURES DISTRICT COURT of SPRINGFIELD

Scale $\frac{1}{4}$ inch = 1 foot.





E. C. & G. C. GARDNER
ARCHITECTS
F. W. S. KING, SUPERINTENDENT
33 LYMAN STREET
SPRINGFIELD, MASSACHUSETTS

NAME DISTRICT COURT OF
LOCATION SPRINGFIELD, MASS.
DATE AUG. 1930.
COMMISSION NO. 877.
DRAWING NO. D. # 31.
DRAFTSMAN D. E. S.
TRACED BY do.

DESIGN OF ELECTRIC FIXTURES DISTRICT COURT OF SPRINGFIELD

Scale $\frac{1}{4}$ inch = 1 foot



EXTERIOR
VESTIBULE

INTERIOR
VESTIBULE

FIRST & SECOND
FLOOR CORRIDORS

1st & 2nd
FLOOR


GENERAL
LIGHTING

DESIGNED BY
P. W. S. KINS


FLOOR

E. C. & G. C. GARDNER
ARCHITECTS
P. W. S. KINS, SUPERINTENDENT
55 LYMAN STREET
SPRINGFIELD, MASSACHUSETTS




NAME District Court of
LOCATION Springfield, Mass.
DATE Aug. 1930.
COMMISSION NO. 877.
DRAWING NO. D. E. S.
DRAFTSMAN D. E. S.
TRACED BY do.




(3) OUTSIDE PORTICO FIXTURES.
(1) INSIDE FESTIBULE SAME DESIGN.
REDUCED DOWN ONE QUARTER IN SIZE



OUTSIDE VERMABLE.
ALSO (1) OUTLET IN 1ST STORY CORRIDOR.



WITNESSES ROOM, 1ST and 2ND STORY TOILETS,
TELEPHONE OFFICE, PROBATION OFFICES,
PRIVATE OFFICE 2ND STORY, DOCTORS RM,
CLERKS DEPT, INCLUDING ACCOUNTING OFFICES,
REST ROOM and UNDER STAIR LARDERES.




WASH. CLOSETS 1ST and 2ND STORIES,
ENTRANCE HALLWAY and DEPT HOUSE.

(7) LIKE THIS IN FIRST STORY CORRIDOR


1st COVER ROOMS,
JUDGES ROOM and
SECOND STORY CORRIDOR.

SCALE - ONE QUARTER FULL SIZE



E. C. & C. G. GARDNER ARCHITECTS 33 LYMAN STREET SPRINGFIELD, MASSACHUSETTS	NAME LOCATION DATE COMMISSION NO. DRAWING NO. DRAFTSMAN TRACED BY
	W. S. KING STREET 1917 1917 1917 1917 1917 1917




FRONT ELEVATION JUDGE'S DESK
CRIMINAL COURT
JUDGE'S DESK IN CIVIL COURT
TYPICAL EXCEPTING OMITTING BOORCAVE





PLAN THRO DESKS






REAR ELEVATION JUDGE'S DESK




FRONT ELEVATION CLERK'S DESK

ELEVATION JUDGE'S DESK
CRIMINAL COURT

VIL COURT ROOM DOOR TO JUDGE'S
TO BE ON OPPOSITE END AS SHOWN HERE



REAR ELEVATION CLERK'S DESK




SECTION THRO DESKS

JUDGES and CLERKS DESKS IN
CRIMINAL and CIVIL COURT RMS

SCALE $\frac{3}{4}$ INCH = 1 FT.

E. C. & G. C. GARDNER
ARCHITECTS
F. W. S. KING, SUPERINTENDENT
33 LYMAN STREET
SPRINGFIELD, MASSACHUSETTS


NAME DISTRICT COURT OF
LOCATION SPRINGFIELD
DATE AUG. 1930
COMMISSION NO. 877
DRAWING NO. 1
DRAFTSMAN D. B. W.
TRACED BY W




FRONT ELEVATION JUDGE DESK

CRIMINAL COURT

JUDGES DESK IN CIVIL COURT INDICATES EXCEPTING EXISTING BROOKLYN




PLAN TWO DESKS



END

W. DE




REAR ELEVATION JUDGE DESK


SECTION JUDGE DESK

CRIMINAL COURT


W. DE COURT ROOM DOOR TO JUDGES DESK TO BE ON OPPOSITE END AS SHOWN HERE



FRONT ELEVATION CLERKS DESK



REAR ELEVATION CLERKS DESK




SECTION THRO DESKS


JUDGES and CLERKS DESKS in CRIMINAL and CIVIL COURT RMs

Scale 3/4 inch = 1 ft.


E. & G. GARDNER	
ARCHITECTS	
11 W. 5th STREET, NEW YORK	
SPRINGFIELD, MASSACHUSETTS	
NAME	Court Room
LOCATION	SPRINGFIELD
DATE	Aug. 1920
COMMISSION NO.	100
DRAWING NO.	100
DRAFTSMAN	E. G. Gardner
TRACED BY	W. De




FRONT ELEVATION JUDGES DESK
COURT ROOM No 1 and No 2




PLAN THRO DESKS




REAR ELEVATION JUDGES DESK



END ELEVATION JUDGES DESK
COURT ROOM No 1 and No 2




REAR ELEVATION CLERKS DESK




SECTION THRO DESK

JUDGES and CLERKS DESKS in
COURT RM. #1 and COURT RM. #2
SCALE $\frac{1}{4}$ INCH = 1 FT.


E. G. & C. G. GARDNER ARCHITECTS F. W. S. KING, SUPERINTENDENT BOSTON, MASSACHUSETTS	NAME DISTRICT COURT OF LOCATION SOUTH FIELD DATE AUG. 12, 1904 COMMISSION NO. 1, 877 DRAWING NO. 21 E CHECKED BY
---	---







PLAN
OFFICERS PLATFORM
ADJACENT TO DOCK




ELEVATION
SCALE 1/4" = 1'-0"



OFFICERS' BENCH
IN CRIMINAL COURT
SCALE 1/4" = 1'-0"





SCALE FOR ALL COURT ROOMS
1/4" = 1 FT.



BENCHES IN JUVENILE COURT
SCALE $\frac{1}{4}" = 1'-0"$


OFFICERS DUAT.
REFER TO OPP.
DRAWING.

BENCHES IN DOCK
SCALE $\frac{1}{4}" = 1'-0"$



SUPPORTING POST FOR COURT ROOM RAIL
SCALE $1" = 1'-0"$

COURT RM. No 2.




SECTION


PART ELEVATION

END ELEVATION

TYPICAL COURT ROOM and DOCK BENCHES
SCALE $1" = 1'-0"$




PLAN OF TOP
3'-3"




TYPICAL WITNESS STAND
FOUR LIKE THIS DESIGN
MOUNTED ON GLASS GLIDERS
SCALE $1" = 1'-0"$


E. O. & C. GARDNER ARCHITECTS F. W. & K. KING, SUPERINTENDENT 23 LYMAN STREET SPRINGFIELD, MASSACHUSETTS	
NAME	DISTRICT COURT OF
LOCATION	SPRINGFIELD
DATE	SEP 1920
COMMISSION NO.	877
DRAWING NO.	DES.
DRAFTSMAN	DES.
TRACED BY	






9611
OFFICER'S PLATFORM
ADJACENT TO DOCK






OFFICER'S DOCK
IN CHAMBER C
SCALE 1/4\"/>




BENCH IN
JUVENILE COURT
SCALE 1/4\"/>



SUPPORTING POST FOR
COURT ROOM RAIL
SCALE 1\"/>





SECTION PART ELEVATION TWO ELEVATION
TYPICAL COURT ROOM AND DOCK
BENCHES SCALE 1\"/>



BACK OF TOP
SCALE 1\"/>

46




UNDERMIN COVERED PLATFORM
WOOD FLOOR
SCALE 1\"/>

TYPICAL WITNESS STAND
WOOD FRAME WITH DESIGN
MOUNTED ON GLASS SLIDERS
SCALE 1\"/>


E. & C. B. BARNER ARCHITECTS 710 & 712 SPRINGFIELD ST. LINCOLN STREET SPRINGFIELD, MASSACHUSETTS	
NAME	DESIGNER OVER OF
LOCATION	SPRINGFIELD
DATE	SEPT 1927
COMMISSION NO.	371
DRAWING NO.	100
DRAFTSMAN	J. E. B.
TRACED BY	


SCALE FOR ALL COURT ROOMS
1\"/>




PART PLAN AND ELEV
SCALE $\frac{1}{2}$ INCH = 1 FT


SCALE $\frac{1}{2}$ INCH = 100








PROFILE OF MOLD
JAMB. FRONT. ENTRANCE



ONE HALF OF COLUMN BASE


GRAINITE

E. C. & G. C. GARDNER	
ARCHITECTS	
F. W. S. KING, SUPERINTENDENT	
311 LYMAN STREET	
SPRINGFIELD, MASSACHUSETTS	
NAME	DISTRICT SCHOOL OF
LOCATION	SPRINGFIELD, MASS.
DATE	REV. 1929
COMMISSION NO.	877
DRAWING NO.	0 #2
DRAFTSMAN	D. E. S.
TRACED BY	da.



JAMB - FRONT - ENTRANCE

OUTLINE OF PLINTH




ONE HALF OF COLUMN - BASE

GRANITE

CENTER LINE OF COLUMN


E. C. & G. C. GARDNER	ARCHITECTS
P. W. S. KINGS	SUPERINTENDENT
W. S. KINGS	ARCHITECTS
W. S. KINGS	ARCHITECTS
NAME	DISTRICT
LOCATION	SPRINGFIELD, MASS.
DATE	APR. 1929
COMMISSION NO.	8742
DRAWING NO.	6742
DRAFTSMAN	P. E. S.
TRACED BY	do.




E.C. & G.C. GARDNER
ARCHITECTS
F.W.S. KING, SUPERINTENDENT
89 LYMAN STREET
SPRINGFIELD, MASSACHUSETTS

NAME DISTRICT COURT OF
LOCATION SPRINGFIELD, MASS.
DATE NOV. 1929
COMMISSION NO. 874
DRAWING NO. D-3
DRAFTSMAN D.E.S.
TRACED BY do.


BROWNE WINDOWS. SOUTH and WEST ELEVATIONS





E. C. & G. GARDNER ARCHITECTS	
F. W. S. KING, SUPERINTENDENT 33 LYMAN STREET SPRINGFIELD, MASSACHUSETTS	
NAME <i>Dist. Ct. 25</i>	LOCATION <i>Springfield, Mass.</i>
DATE <i>Nov. 1929.</i>	COMMISSION NO. <i>877</i>
DRAWING NO. <i>274</i>	DRAFTSMAN <i>D. E. S.</i>
TRACED BY <i>do.</i>	

BROWNE WINDOWS. BROADWAY and PLYMOUTH ST. ELEVATIONS.
OTHER THAN MULLION WINDOWS. FOR MULLION WINDOW #5 SEE DETAIL #5



E. C. & C. G. GROVER	
ARCHITECTS	
100 N. 10th St. Minneapolis, Minn.	
TELEPHONE 2-1111	
DATE: 10/1/23	
DRAWING NO. 100	
PROJECT: 100	
BY: E. C. & C. G. GROVER	
CHECKED BY: E. C. & C. G. GROVER	
APPROVED BY: E. C. & C. G. GROVER	

WINDOWS BROADWAY and PLYMOUTH ST. ELEVATIONS
WINDOWS BROADWAY and PLYMOUTH ST. ELEVATIONS
WINDOWS BROADWAY and PLYMOUTH ST. ELEVATIONS

DIMENSION FOR SASH
ARE GIVEN TO THIS LINE.
ALLOW FOR 1 1/2" STAFF BEND.
WHERE BRONZE SASH OCCUR

STONE LINTEL

SECTION THRO. C.C.

SECTION THRO. D.D.

SECTION THRO. E.E.

PLASTER

MARBLE STOOL

MARBLE STOOL

CENTER LINE OF MULLION

LINE OF BRONZE SILL 2ND FLOOR

8" REVEAL

ONE HALF MULLION

STONE OPENING


SECTION THRO. D.D.

SECTION THRO. A.A.

STONE SILL FIRST FLOOR

BROWNE WINDOW DETAIL
WHERE BRONZE MULLION OCCURS
BROADWAY and PYNCHON ST. ELEV.

SCALE FULL SIZE




SEE LATER
OR
ORNAMENT


Scale 1/4" = 1 FT.

E. C. & G. C. GARDNER ARCHITECTS F. W. S. KING SUPERINTENDENT 111 N. W. 1ST ST. SPRINGFIELD, MASSACHUSETTS
NAME DISTRICT COURT LOCATION SPRINGFIELD DATE JAN. 1930 COMMISSION NO. 877 DRAWING NO. D. 5 DRAFTSMAN D. E. S. TRACED BY

PANEL SOFFIT
OF ABACUS.



ONE HALF ELEVATION OF COLUMN SCALE FULL SIZE





CENTER LINE OF COLUMN

NAME	District Court of
LOCATION	Springfield
DATE	Nov. 1929
COMMISSION NO.	877
DRAWING NO.	D.E.S.
DESIGNED BY	D.E.S.
ARCHITECTS	E.C. & G.C. GARDNER
F.W. S. KING, SUPERINTENDENT	33 LYMAN STREET
SPRINGFIELD, MASSACHUSETTS	

REPAIRS TO MASONRY WALLS OF HAMPDEN COUNTY COURT HOUSE SPRINGFIELD MASS

H. J. TENNIE
ARCHITECT



GROUND SCALE : 1" = 8'-0"

June 1930

SPECIFICATIONS

FOR

REPAIRS TO MASONRY WALLS

OF

HAMPDEN COUNTY COURT HOUSE

SPRINGFIELD, MASS.

HENRY J. TENNIE
ARCHITECT
220 DWIGHT ST. SPRINGFIELD, MASS.

The Contractor shall maintain property lines and public liability insurance to protect the person and property of the Owner and of the public.

PROTECTION OF PROPERTY

The general contractor shall take sufficient and necessary precautions to safeguard the various parts of the building and grounds and shall make good any damage caused thereby.

TIME OF WORK

The contractor shall proceed with this work immediately after the signing of the contract and the contract must be fully performed and completed within eight weeks after the signing of said contract.

PAVING USED FOR MORTAR, ETC.

The Owner shall pay for the cost of water used in connection with this operation, but the contractor shall maintain the same in good condition and shall be responsible for its own accommodation.

SPACING

The general contractor shall provide staging of any kind he may choose for this work.

WORK TO BE PERFORMED

The entire north wall of the building and all sides of the tower to the uppermost point, is to have all joints raked out and be repointed. All of the remaining exterior walls, including the chimney, are to have all joints checked up and all such joints as are found unbound, or defective, or joints which have fallen out are to be repointed. The contractor shall remove all loose mortar and disintegrated joint material; carefully cut out all loose, disintegrated or shell joints.

POINTING JOINTS

Clean these joints as much as possible; remove all loose mortar from these joints before filling them with new mortar. The mortar to be used is to be a mixture of one part of clean sharp sand, one part of Portland cement and two parts of clean sharp sand. Care shall be taken not to get this mortar too wet and it shall be tamped into place to make sure that each joint is filled and that the mortar is compacted to within three quarters of an inch of the surface.

Before filling the joints of the parapet walls and the joints in the top of the cornice and all projecting stones, pack them with the same mortar as the joints in the wall. The surface as herein before specified for the remainder of the work. Where extra large joints occur in any part of the walls, pack them into the joint as specified above before proceeding to fill same.

FILLING UNDER CRACKED SILLS

Two first story window sills at the south west corner of the building are to be removed and the construction of the building is such that a hollow space exists between the granite facing and the brick backing. Remove one of the stones immediately under the sill and fill the hollow space with a solid bed for the full depth of each of these sills. If the contractor should prefer he may drill a small hole in the top of the sill and fill the hollow with grouting. The holes must be patched up afterward.

PAVING, CURBS, ETC.

After the joints have been filled to within 2" of the surface, as previously specified, the sides of all of the joints at the back and top of parapet, and the joints in the cornice and all projecting stones are to be pointed with a mixture of one part of clean sharp sand, one part of Portland cement and two parts of clean sharp sand. After this, these joints are to be pointed with Vulcatex to a point even with the surface.

EXPOSED SURFACES

All of the joints in the exterior walls, excepting the sound joints, and those above specified as being pointed with Vulcatex, shall be coated with de-hydrate #2 transparent waterproofing and shall be coated with a mixture of one part of clean sharp sand, one part of Portland cement and two parts of clean sharp sand. Hydrate paste added to each bag of cement. Care shall be taken not to have this pointing mortar too wet. This pointing mortar shall be packed to match the granite and all joints shall be sealed.

STEPS

The joints in all stone buttresses etc. shall be repointed as specified above.

MATERIALS

The Vulcatex, dehydrated #2, and Hydrate paste are products of the A. C. Horn Company of Long Island City, N. Y., represented by A. D. Donald and Company, 100 Broadway, New York City. The contractor shall be responsible for the quality of the materials used in these specified herein, must request such permission in writing and receive written permission of the design architect before proceeding with the work. The contractor shall notify all other contractors that such substitution will be permitted.

CLEANING

Clean off all mortar, stains and other blemishes on glass, stone and wood work resulting from this operation. No acids will be allowed for cleaning purposes; or by other means acceptable to the Architect. Clean away any rubbish resulting from this operation and clear off mortar and other debris around and against the building leaving the grounds as nearly as possible in the present existing condition.

SUPERVISION

All work under this contract shall be done under the supervision of and to the satisfaction of the Architect.

GENERAL

These specifications are intended to cover the furnishing of all labor and materials necessary for the repairs to the masonry walls of the Hampden County Court House at Springfield, Massachusetts including all equipment, staging, etc. necessary for the completion of this work as more fully described in these specifications.

OWNER

The term "Owner" where herein used refers to the County of Hampden.

ARCHITECT

The word "Architect" where hereinafter used refers to Henry J. Tennie, 220 Dwight St., Springfield, Mass.

CONTRACTOR

The word "Contractor" where hereinafter used refers to the contractor who shall be awarded a contract for the performance of the work herein specified.

CONTRACTOR TO VISIT BUILDING


The contractor shall, before submitting his proposal, visit the building and make a thorough inspection of the same, and shall be responsible for the accuracy of the same.

BOND

The contractor to whom the contract for this work shall be awarded, will be required to furnish a surety bond guaranteeing the proper performance of this contract, and shall be furnished to the approval of the Owner.

INSURANCE


The contractor and all sub-contractors employed on the work shall produce evidence of being properly covered by Workmen's Compensation Insurance, as required by State Law.



DETAIL of HANGERS & BOTTOM CORNER of DUCT.


CROSS SECTION

1/8" x 3/4" oak double beaded sheathing




BASE SECTION

PARTITION DETAIL
Scale: 3" = 1'-0"




PLAN AT BASEMENT

Scale: 1/4" = 1'-0"




DETAIL OF MONITOR.

Scale: $\frac{1}{2}'' = 1'-0''$



SECTION E-E.




ROOF PLAN.


Scale: $\frac{1}{4}'' = 1'-0''$

Quarter Round

A-A.



PLAN of NEW JANITOR'S ROOM



ELEVATION of NEW PARTITION.


Scale: $\frac{1}{4}'' = 1'-0''$

DETAILS OF
NEW JANITOR'S
ROOM IN BASEMENT


PLAN AT FIRST FLOOR.

Scale: $\frac{1}{4}'' = 1'-0''$


DETAIL of MANGERS &
BOTTOM CORNER / DUCT



PLAN AT BASEMENT.
Scale: $\frac{1}{4}" = 1'-0"$



· PARTITION DETAIL
Scale: 3" = 1'-0"



• ELEVATION of NEW PARTITION
Scale: $\frac{1}{4}'' = 1'-0''$

DETAILS OF
NEW JANITORS
ROOM IN BASEMENT

• PLAN AT FIRST FLOOR.
Scale: $\frac{1}{4}" = 1'-0"$

GENERAL CONDITIONS

The work included in this contract, these general conditions and all parts of the specifications, is the installation of a fresh air duct, monitor, and changes in janitor's office, and incidental, cutting of walls, floors, steel work, woodwork, shifting of piping, electrical equipment, etc., and the installation of steel work, plastering, painting, etc., as herein specified.

OWNER

The word "Owner" as hereinafter used, refers to the County of Hampden.

ARCHITECT

The word "Architect" as hereinafter used, refers to Henry J. Tessier, 1132 Main St., Springfield, Mass.

DRAWINGS AND SPECIFICATIONS

The drawings and specifications are intended to supplement each other, so that any work shown on the plans and not shown herein, or vice-versa, shall be furnished and performed, the same as if fully shown in both plans and specifications.

The decision of the Architect as to the interpretation and intent of the drawings and specifications will be final and binding upon the Owner and Contractor.

CONTRACTOR

The Contractor shall immediately notify the Architect of any discrepancies in the drawings and he shall follow the Architect's instructions as to how the corrections shall be made.

CLEANING

At completion, the contractor shall thoroughly clean all portions of the building affected by his work.

PERMITS

The contractor shall take out all necessary permits.

LIABILITY AND WORKMEN'S COMPENSATION INSURANCE

The contractor shall maintain liability insurance to protect

the Owners in the event of damage or injury to the property or person of the public. He shall also maintain workmen's compensation insurance as required by State Law.

STEEL WORK

This contractor shall cut and remove all steel work, so indicated on plans and furnish and install new beams, channels, etc. as shown on plans.

MASON WORK

This contractor shall cut the masonry walls, floors, ceilings and roof for the passage of the metal duct.

One-half of the thickness of the walls shall first be removed and one of the two beams shall be installed to take part of the load before the second beam is installed. When the lintels are in place they shall be wrapped with 3.4 pound galvanized metal lath and covered with 3/4" of hard plaster.

Any work damaged in this process must be replaced.

Build out the floor and roof arches where broken off to the duct.

LATHING AND PLASTERINGFURRING CHANNELS

A partition shall be built at the first story covering the duct. Cover the steel channels with 3/4" furring channels placed horizontally 12" on centers. These shall be securely clipped or wired to the steel channels.

METAL LATHING

Cover the partition in front of the duct with 3.4 pound coated metal lath, lapping same 3" at the walls and ceiling and wiring same properly to the furring channels.

CORNER BEADS

Install expanded metal corner beads at external corners.

PLASTERING

Cover the places called for to be lathed with Kings Windsor or Rockwall plaster, put on according to the manufacturers directions, same to be put on in three coats and to be left in a steel trowel finish. Do any necessary patching where duct passes through plastered walls, and where this work has damaged the present plastering.

CARPENTRY

Install grounds at the first story partition to receive the base and picture mould.

Build curb and do necessary carpenter work at monitor.

Patch floor after removal of slop sink.

BASE, PICTURE MOULD

Extend slate base, with oak top mould and oak picture mould around duct, of same detail as present trim.

Furnish and install the new 4" x 6" beams, joists, rough and finished flooring in new janitor's room, over stair wall, as shown. Finished floor to be a clear grade of maple, well sanded and left ready for the painter. Build the partition in cellar of plain oak, as shown with 1 1/2" oak door, oak sheathing, etc.

GLAZING

Glaze the lower lights of the partition and the upper panel of the door with seyenite glass and the upper portion of partition and the transom with double thick A quality clear glass.

HARDWARE

Furnish and install the following hardware as later selected by the Architect.

1 1/2 pr. 4 1/2" bronze butts.

1 cylinder lock set complete, to fit master key system of building.

1 transom lift.

1 pair 2" x 2" bronze butts, for transom.

PAINTINGMATERIALS

While the name of only one manufacturer is used in these specifications to set a standard for the materials to be used, any painter may substitute other materials of equal quality, provided he first obtains written approval of the materials he wishes to substitute from the Architect.

PLASTERING

The new plastering and the portion of old plastering around slop sink shall be covered with a coat of Pratt & Lambert's Double Duty Primer and two coats of Pratt & Lambert's Iyt-all Flowing Flat, all three coats to be tinted to the shade of the present work. The present plastering including the ceiling in the janitor's room shall receive one coat of Pratt & Lambert's Flowing Flat. Patch plastering where slop sink and cleats are to be removed with Plaster of Paris and the new woodwork, including the new partition shall receive a coat of filler, a coat of stain and two coats of Pratt & Lambert's #61 floor varnish and the present woodwork in janitor's room shall be cleaned and receive one coat of the above varnish.

METAL WORK

All exposed interior metal work shall receive three coats of paint as specified for plastering.

MISCELLANEOUS PAINTING

All exterior metal work at monitor with the exception of copper work shall receive three coats of approved metallic paint.

Bronze the new piping to match old.

SHEET METAL WORK

Furnish and install the duct as shown on plans of 22 gauge Toncan metal properly reinforced to prevent sagging. It shall be rigidly supported to the ceiling and walls and roof by strap irons and expansion bolts or other approved devices. The duct shall be made perfectly tight.

The monitor at roof shall be built as detailed of 16 oz. copper and shall be tightly flashed at roof. Include the galvanized grille and copper screen shown on detail.


Repair any damage done to roof by this alteration.


MOVING OF SLOP SINK, PIPES, ELECTRICAL WORK, ETC.


Shift to locations indicated, steam, water and other piping, electric light fixture, wiring, and apparatus which interferes with the alteration. Cover the new portion of steam main outside the toilet to match present work. The shifting of the steam main must be done at such times as not to require closing down the heating plant during business hours.

The present slop sink now in the janitor's room, on the first floor, shall be removed to the basement and connected up ready for use, in a manner to meet the approval of the local inspectors. Provide $\frac{1}{2}$ " brass hot and cold water supply with shut offs and new "Crane" hot and cold compression faucets with four ball china indexed handles. All brass piping, faucets, etc., to be nickel plated.

The electric light in the new janitor's room in the basement is now on a circuit with the corridor lighting. This outlet is to be cut off this circuit and arranged to be switched from the location shown, the new wiring to be run in wire mould.








SECOND FLOOR PLAN


SCALE: ONE EIGHTH INCH EQUALS ONE FOOT

PROPOSED DISTRICT COURT BUILDING FOR HAMPDEN COUNTY

F. C. & G. C. GARDNER
ARCHITECTS



THIRD FLOOR PLAN
SCALE 1/8" INCH = 1 FT.




• FRONT • ELEVATION •

• SCALE $\frac{1}{8}$ INCH = 1 FOOT •

• PROPOSED • DISTRICT • COURT • BUILDING • FOR • HAMPDEN • COUNTY •

• E. C. and G. C. GARDNER • ARCHITECTS • SPRINGFIELD • MASS. •



• PROPOSED • DISTRICT • COURT • BUILDING • FOR • HAMPDEN • COUNTY • E.C. and G.C. GARDNER ARCHITECTS

Index to Plans.

General Plans. Pages 1-24	1-24	Repair to Masonry Walls	69-70
Basement Floor Plan	1-2		
First Floor Plan	3-4	Proposed Fresh Air Duck Installation at Hall of Records	71-74
Second " "	5-6		
Roof Plan	7-8		
Pyncheon St. & Broadway Elevation	9-10	Proposed District Court Building	74-79
South Elevation & West Elevation	11-12	Basement Plan	74
Transverse Section Thro A A	13-14	First Floor Plan	75
Longitudinal Section Thro B B		Second Floor Plan	76
Plan of Lot. Plan of Staircase	15-16	Third Floor Plan	77
First Floor Framing Plan	17-18	Front Elevation	78
Second " " "	19-20	" "	79
Ceiling " "	21-22		
Roof " "	23-24		
Heating & Ventilating Plans -	25-32		
Basement Plan	25-26		
First Floor Plan	27-28		
Second " "	29-30		
Roof " "	31-32		
Plumbing Pages 33-40	33-40		
Basement Plan	33-34		
First Floor Plan	35-36		
Second " "	37-38		
Longitudinal Section Thro B B	39-40		
Transverse Section Thro A A			
Electrical Plans Pages 41-46	41-46		
Basement Plan	41-42		
First Floor Plan	43-44		
Second " "	45-46		
Electric Fixtures Pages 47-50	47-50		
Judges Benches, Bookcase, Clerk's Desks Witness Stands, Officers Platform, Rails & Benches, etc. Pages 51-56	51-56		
Judges & Clerks Desks in Criminal & Civil Court Rooms	51-52		
Judges & Clerks Desks in Court Room 1 & 2	53-54		
Witness Stand, Court Rooms & Dock	55-56		
General Plans 1929 Pages 57-68	57-68		
Part Plan & Elevation	57-58		
Profile & Mold Jambs, Front Entrance	59-60		
Brown Windows, South & West Elevations	61-62		
" " Broadway & Pyncheon St. Elevations other than Mullion Windows	63-64		
Brown Windows detail where Bronze Mullion occurs, Broadway & Pyncheon			
Street Elevations	65-66		
One half Elevation of Column	67-68		

SPRINGFIELD

No. 1	General Plans	Pages 1 - 24	
	Basement Floor Plan		1-2
	First Floor Plan		3-4
	Second " "		5-6
	Roof Plan		7-8
	Pyncheon St. Elevation & Broadway Elevation		9-10
	South Elevation & West Elevation		11-12
	(Transverse Section Thro A A		
	(Longitudinal Section Thro B B		13-14
	Plan of LotPlan of Staircase.....		15-16
	First Floor Framing plan		17-18
	Second " " "		19-20
	Ceiling " "		21-22
	Roof " "		23-24
No. 2	Heating & Ventilating Plans	Pages 25-32	
	Basement plan		25-26
	First Floor plan		27-28
	Second floor plan		29-30
	Roof		31-32
No. 3	Plumbing	Pages 33-40	
	Basement plan		33-34
	First Floor plan		35-36
	Second floor plan		37-38
	(Longitudinal Section Thro B B)		
	(Transverse Section Thro A A)		39-40
No. 4	Electrical Plans	Pages 41-46	
	Basement plan		41-42
	First floor plan		43-44
	Second floor plan		45-46
No. 5	Electric Fixtures	Pages 47-50	
No. 6	Judges Benches, Bookcase, Clerks Desks, Witness stands Officers Platform, Rails & Benches etc. P.51-56		
	Judges & Clerks Desks in Criminal & Civil Court Rooms		51-52
	Judges & Clerks Desks in Court Room 1 & 2		53-54
	Witness Stand, Court rooms & Dock		55-56
No. 7	General Plans 1929	Pages 57-58	
	Part plan & elevation		57-58
	Profile of Mold Jamb, Front entrance		59-60
	Browne windows South & West Elevations ...		61-62
	" " Broadway & Pyncheon St. Elevations		
	other than Mullion windows		63-64
	" " detail where Bronze Mullion Occurs Broadway & Pyncheon		
	Street Elevations		65-66
	One half elevation of Column		67-68
No. 8	Repair to Masonry Walls		69-70
No. 9	Proposed Fresh Air Duck Installation at Hall of Records		71-74
No. 10	Proposed District Court Building	Pages 74-79	
	Basement plan		74
	First floor plan		75
	Second floor plan		76
	Third floor plan		77
	Front elevation		78
	" "		79